

LEADERS IN PACKAGING AND HYGIENE PRODUCTS



**CLEARVIEW**<sup>TM</sup>  
**INDUSTRIES**



**Universal  
Plastics**

[www.universalplastics.in](http://www.universalplastics.in)

# ABOUT US



Since 1989, Universal Plastics has been a leading ISO-certified manufacturer of premium PVC products. With over three decades of expertise, we operate from our advanced manufacturing facility in New Delhi, serving diverse industries across India and beyond.

We manufacture a comprehensive range of PVC products, including Layflat Tubing, Transparent Sheets and Films, Strip Curtains and Dividers, Sleeves and Pipes for packaging, Toothless Zippers, Plastic Buttons, and Snap Fasteners. Our products are widely used in garment packaging, bedding, and various industrial applications. We customise solutions to match your specific needs, whether you require flexible, rigid, or highly durable materials.

Quality drives everything we do. We source premium raw materials and implement rigorous quality control through total quality management programs. Our products are built to withstand extreme weather, offer high tensile strength, and provide excellent UV resistance. Every item is manufactured to meet both national and international standards, ensuring reliable performance you can count on.

When you choose Universal Plastics, you're choosing a partner with proven expertise, competitive pricing, and unwavering support. We've spent three decades earning the trust of industry leaders, and we're ready to elevate your operations. Contact us today to find the perfect product for your application or visit our website for more information.

# Packaging Solutions

- **Stretch Film**
- **PVC Flexible Sheeting**
- **Lay Flat Tubings**
- **PVC Pipes/Handles for Bags & Toys**
- **PVC Tag Wire/Shoe Industry**

# Hygiene Products


- **PVC Strip Curtains**
- **Magnetic Curtains**
- **Air Curtains**
- **Insect Killer**

# PVC Lay Flat Tubings

We are prominent manufacturers and suppliers of precision-designed PVC Lay Flat Tubes for more than 25 years.

## Applications

- PVC Blanket Bags
- Bed Sheet Covers
- PVC Pouches for Various Packaging Needs.
- All our Lay Flat Tubings can be produced as per customers requirement of colour and size.



# Stretch Film



## Stretch Film available in All Sizes

Its ability to stretch significantly, then return to a near-original shape, provides a tight, secure wrap around products.

Application in various industries:

- Pallet Packing
- Food Industry
- Pharma Industry

# PVC Flexible Sheeting

## PVC Imported Soft Transparent Sheets/ Films

We are prominent supplier of precision-PVC Imported Sheeting/Films. These sheetings are sourced from the reliable vendors of the international market who use supreme grade polyvinyl chloride and latest techniques during the manufacturing process. Acknowledged for their perfect finish and shrink resistance nature.

### Applications

- Various Packaging Bags
- Ranging from Pencil Box, Garment Bags, Makeup kits to Zorbing Balls.



# PVC Pipes / Bags & Toys Handles

## PVC Handles / Pipe

We are prominent manufacturer and supplier of precision-designed PVC Pipes and handles. Mainly used for PVC Bags & Pouches. We can customise all our products as per requirement.

### Features

- Tear resistance
- High Tensile strength
- Superior finish
- Colorfastness




# PVC Toothless Zippers

We are leading importers of Toothless Zippers for the past two decades. With a huge variety of colours, sizes and variants in it, our product is being used for zipper pouches, make-up kits, hand bags.

## Features

- Superior finish
- Tear resistance
- Colorfastness




# Plastic Buttons / Snap Fasteners


We are leading importers of Plastic buttons for the past two decades. With a huge variety of colours, sizes and variants in it, Our product is being used for pouches, make-up kits, hand bags and various garment bags.

## Applications

- PVC Pouches
- PVC Make-up kits
- PVC Bed-Sheet Bags etc.




# PVC Tag Wire / Shoe Industry



# Hygiene Products

## FLY CATCHER / FLYKILLER



## PVC Strip Curtains



Flat



Ribbed




Frosted



Double Ribbed



Anti-static




Polar

# PVC Strip Curtains/Dividers

We can produce the PVC Strip Curtains as per Clients requirements to suit their needs.

## Features


- High durability
- Resistance against Dust, Noise etc.
- Resistance against temperature



## Types

Strip curtains are available in the following varieties:








- Standard transparent
- Polar transparent
- Anti-insect transparent
- Anti-static transparent
- Welding screen
- Opaque
- Translucent



# PVC Strip Curtains/Dividers



Strip curtains are available in the following varieties :

		Working Temp. range	Profiles	Color Selection	Size Selection	Application
<b>Standard Transparent</b>		2°C to 50°C	Double Ribbed and plain	Blue; White	Thickness range from 1mm to 6mm Width range from 100mm to 400mm Standard size: 200mm(W) × 2mm(T) × 50m(L) 300mm(W) × 3mm(T) × 50m(L)	Mainly used for family hotels, restaurants, food processing plants, fresh processing centers, beverage processing plants, pharmaceutical plants, a variety of plants by insect repellent, a variety of health and safety areas.
<b>Polar Transparent</b>		-40°C to +50°C	Double Ribbed and plain	Blue; White	Thickness range from 1mm to 6mm Width range from 100mm to 400mm Standard size: 200mm(W) × 2mm(T) × 50m(L) 300mm(W) × 3mm(T) × 50m(L)	Mainly used in cold rooms, ice plants, fruits, vegetables, raw fresh food shop and other places. Working tempt range: -40°C to +50°C
<b>Anti-insect Transparent</b>		2°C to 50°C	Double Ribbed and plain	Orange; Yellow	Thickness range from 1mm to 6mm Width range from 100mm to 400mm Standard size: 200mm(W) × 2mm(T) × 50m(L) 300mm(W) × 3mm(T) × 50m(L)	Suitable for food processing plants, fresh food processing centers, beverage processing plants and other enterprises, (orange) color, there is a strong insecticide light, so that mosquitoes and other shunned, working tempt range: 2°C to 50°C.
<b>Anti-static Transparent</b>		2°C to 50°C	Double Ribbed and plain	Green	Thickness range from 1mm to 6mm Width range from 100mm to 400mm Standard size: 200mm(W) × 2mm(T) × 50m(L) 300mm(W) × 3mm(T) × 50m(L)	The product is mainly used in electronics factories, clean rooms, electronic equipment manufacturing, microelectronics industrial production plant, sterile room, central control room and other production sites, working tempt range: 2°C to 50°C.
<b>Welding Screen</b>		2°C to 50°C	Double Ribbed and plain	Dark Green; Red	Thickness range from 1mm to 6mm Width range from 100mm to 400mm Standard size: 200mm(W) × 2mm(T) × 50m(L) 300mm(W) × 3mm(T) × 50m(L)	Mainly used to block ultraviolet welding workshop release dazzling light and other places need protection ,etc. working tempt range: 2°C to 50°C.
<b>Opaque</b>		2°C to 50°C	Double Ribbed and plain	Grey; Black; White; Red; Blue; Green	Thickness range from 1mm to 6mm Width range from 100mm to 400mm Standard size: 200mm(W) × 2mm(T) × 50m(L) 300mm(W) × 3mm(T) × 50m(L)	Mainly used in bowling alleys, airport baggage claim, and advertisement, etc.
<b>Translucent</b>		2°C to 50°C	Double Ribbed and plain	Yellow; Frosted white; Frosty Matts Light Blue	Thickness range from 1mm to 6mm Width range from 100mm to 400mm Standard size: 200mm(W) × 2mm(T) × 50m(L) 300mm(W) × 3mm(T) × 50m(L)	Mainly used in bowling alleys, baggage claim, and advertisement, etc.

# PVC Strip Curtains/Dividers




Transparent Curtain Ribbed



Black Opaque



Magnetic PVC Strip Curtain




Grey Opaque




Anti-Insect




Anti-Static




Polar Ribbed



Ribbed





Standard Blue



Opaque

# Magnetic Curtains



# Air Curtains



**FITTED WITH  
CROMPTON GREAVES  
COPPER MOTOR**



**LARGE WIND AIR CURTAIN  
STRONG WIND AND EFFICIENT BARRIER**

#### MOTOR

Its adopt the technology of electrical machinery its runs smoothly with powerful air-flow it operates reliably. And runs safely for 5000 Consecutive hours.



#### FAN WHEEL

The unique birthplace flows the wind wheel air flue design, Uses the high accuracy ABS manufacture: can the high speed transient equilibrium low noise revolution.



#### COMFORT SYSTEM

Maintaining a constant internal environment, a comfortable temperature is ensured whilst the air is kept fresh.




**AVAILABLE IN SINGLE & THREE PHASE**

Suitable For Height Upto 12 Feet

Model	Dimension (MM)	Frequency (Hz)	Voltage (V~)	Input Power (W)	Air Volume (M <sup>3</sup> /H)	Air Velocity (M/S)	Noise
CFI-1706	600×220×240	50	230/415	330	1400	15-17	<55
CFI-1709	900×220×240	50	230/415	410	2100	15-17	<55
CFI-1710	1000×220×240	50	230/415	410	2400	15-17	<56
CFI-1712	1200×220×240	50	230/415	490	2900	15-17	<57
CFI-1715	1500×220×240	50	230/415	610	3600	15-17	<58
CFI-1718	1800×220×240	50	230/415	860	4400	15-17	<59
CFI-1720	2000×220×240	50	230/415	1030	5000	15-17	<62

\* Technical specification is subject to change because regular changes made in R&D

# Air Curtains



## THROUGH-FLOW INTEGRATED LOW NOISE FAN

Circulating Cross-flow Air Duct,  
Wind Wheel Bearing Integrally Formed,  
Made Of Glass Fiber Material.

Non-equidistant Wind Wheel Structure,  
Uniform Air Output And Stable Operation.

Enhanced Wind And Reduced Operating Noise.




Model	Dimension (MM)	Frequency (Hz)	Voltage (V~)	Input Power (W)	Air Volume (M <sup>3</sup> /H)	Air Velocity (M/S)	Noise
SLV-60	600×200×160	50	230	350	1600	17-18	<49
SLV-90	900×200×160	50	230	425	1800	17-18	<52
SLV-100	1000×200×160	50	230	435	1900	17-18	<52
SLV-120	1200×200×160	50	230	535	2522	17-18	<53
SLV-150	1500×200×160	50	230	630	3031	17-18	<55
SLV-180	1800×200×160	50	230	710	3536	17-18	<57

\* Technical specification is subject to change because regular changes made in R&D

## Fly Catchers / Fly Killers

“Smart Solution for a Hygienic Space”



**Maintains Hygiene**



**Clean Environment**



**Silent & Effective**

# Certifications

  
Panchal Consulting Services  
A SMALL INITIATIVE OF BUSINESS



## CERTIFICATE OF REGISTRATION

We hereby declare that the technical file of product complied with the requirement of directives of protective equipment 89/686/EEC AS amended regulation (EU) 2016/425 & council directive on medical devices 93/42 EEC as amended 2007/47 EC.

**Name:** UNIVERSAL PLASTIC.

**Address:** PLOT NO.-2, LANE NO.-3, SHALIMAR INDUSTRIAL AREA, VILLAGE SHALIMAR, DELHI-110088, INDIA.

**PRODUCT:** MANUFACTURING, TRADING EXPORT OF LAY FLAT PVC TUBBINGS AND PLASTIC FILMS AND SHEETS FOR PACKINGS.

Complies with the requirements applicable to it  
The Certification body has performed an audit of the above product quality system covering the design, manufacture and final inspection of the certified product. The quality system has been assessed, approved and is subject to continuous surveillance according to the 2016/425/EU  
This certificate is issued under the following conditions: It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type-examination procedures, if requested.

- The certificate remains valid until the manufacturing conditions or the quality systems are changed.
- The certificate validity is conditioned by positive results or surveillance audits.
- After fulfilling the relevant EU legislation, the manufacturer shall affix to each device, of the above referenced models.
- The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a single evaluation of one sample of above-mentioned product. It does not imply an assessment of the whole production.

Certificate Number: PCS-IN-UP-A2501013

To verify this certificate please visit at [www.uais.uk](http://www.uais.uk)

Date of Certification	24 <sup>th</sup> JANUARY 2025
Issuance Date	24 <sup>th</sup> JANUARY 2025
Due Re-Certify	23 <sup>rd</sup> JANUARY 2028

 **Authorized Signatory**

**CAB Address:** United Accreditation and Inspection Services Level 5, One Canada Square Canary Wharf, London-E14 5AB.UK Validity of this certificate is subject to annual surveillance audits to be done successfully This certificate is the property of U.K. Certification and shall be returned immediately on request U.K. Certification is an accredited Systems Products and Personal assessment Body, U.K. Certification is an accredited by UAIIS.UKS

  
Panchal Consulting Services  
A SMALL INITIATIVE OF BUSINESS



## CERTIFICATE OF REGISTRATION

### UNIVERSAL PLASTIC

PLOT NO.-2, LANE NO.-3, SHALIMAR INDUSTRIAL AREA,  
VILLAGE SHALIMAR, DELHI-110088, INDIA.

*Has been independently assessed by Panchal Consulting Services and is compliance with the requirement of the standard*

## ISO 9001: 2015

(Quality Management System)

For the following scope of activities  
**MANUFACTURING, TRADING EXPORT OF LAY FLAT PVC TUBBINGS AND PLASTIC FILMS AND SHEETS FOR PACKINGS.**

Certificate Number: PCS-IN-UP-A2501012

To verify this certificate please visit at [www.uais.uk](http://www.uais.uk)

Date of Certification	24 <sup>th</sup> JANUARY 2025
Issuance Date	24 <sup>th</sup> JANUARY 2025
Re-Certify Due	23 <sup>rd</sup> JANUARY 2028

 **Authorized Signatory**

**CAB Address:** United Accreditation and Inspection Services Level 5, One Canada Square Canary Wharf, London-E14 5AB.UK Validity of this certificate is subject to annual surveillance audits to be done successfully This certificate is the property of U.K. Certification and shall be returned immediately on request U.K. Certification is an independent Systems Products and Personal assessment Body, U.K. Certification is an accredited by UAIIS.UK



TEST REPORT

Report No.: MAN/HL/1648000500      ISSUE DATE: 30-Jan-2025

UNIVERSAL PLASTICS  
PLOT NO. 2, LANE NO. 3, SHALIMAR IND. AREA  
INDIA  
CONTACT PERSON: M. N. MATHUR, RAHUL MATHUR

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY ON BEHALF OF THE CUSTOMER AS:

SAMPLE DESCRIPTION	PVC SHEETING
COLOUR	TRANSPARENT
STYLE NO.	211
ARTICLE NUMBER NO.	2458
END USE	FOR CURTAIN PURPOSE
COUNTRY OF DESTINATION	USA
COUNTRY OF ORIGIN	INDIA


LAB PROVIDED DETAILS:  
CONDITION OF SAMPLE: COMPLETE AND OK  
THE LOCATION OF PERFORMANCE OF THE LABORATORY ACTIVITIES: SGS GURUGRAM LABORATORY  
SAMPLE RECD ON: 22-Jan-2025      TESTING PERIOD: 24-Jan-2025 - 30-Jan-2025

SUMMARY OF TEST RESULTS:


TESTS	PASS	FAIL	REMARKS
PHthalates Content	P	F	

TEST(S) RESULT & METHOD- PLEASE REFER TO NEXT PAGE(S). RESULTS APPLY TO THE SAMPLE AS RECEIVED

Per Prop SGS India Pvt. Ltd.

  
SANDIP BRUSHAN  
TECHNICAL MANAGER  
Authorized Signatory-Mechanical  
Email your Test Report Request Enquiries at [Feedback.H.T@sgs.com](mailto:Feedback.H.T@sgs.com)

SGS India Pvt. Ltd.      Page 1 of 3



TEST REPORT

Report No.: MAN/HL/1648000500      ISSUE DATE: 30-Jan-2025

UNIVERSAL PLASTICS  
PLOT NO. 2, LANE NO. 3, SHALIMAR IND. AREA  
INDIA  
CONTACT PERSON: M. N. MATHUR, RAHUL MATHUR

TEST RESULTS:

PHthalates Content: Analysis was performed by Gas Chromatography / Mass Spectrometry


TEST ITEM	TEST RESULT (mg/kg)	PERMISSIBLE LIMIT (mg/kg)
Bis(2-ethylhexyl) phthalate (BEPH)	Not Detected	≤ 1000
Dibutyl phthalate (DBP)	Not Detected	≤ 1000
Di-(2-ethylhexyl) phthalate (DEHP)	Not Detected	≤ 1000
Dioctyl phthalate (DOP)	Not Detected	≤ 1000
Di-n-butyl phthalate (DBNP)	Not Detected	≤ 1000
Dioctyl phthalate (DOP)	Not Detected	≤ 1000
Di-n-octyl phthalate (DOPNP)	Not Detected	≤ 1000
Dioctyl phthalate (DOP)	Not Detected	≤ 1000
Conclusion	Pass	-

Detection Limit: 100 mg/kg  
Tested Item: PVC SHEETING

Note:

- Test has been sub-contracted to ISO/IEC 17025 accredited laboratory.
- Permissible limit has been taken from CPSIA regulation.
- Testing has been performed as per customer request.

SGS India Pvt. Ltd.      Page 2 of 3




TEST REPORT

Report No.: MAN/HL/1648000500      ISSUE DATE: 30-Jan-2025

UNIVERSAL PLASTICS  
PLOT NO. 2, LANE NO. 3, SHALIMAR IND. AREA  
INDIA  
CONTACT PERSON: M. N. MATHUR, RAHUL MATHUR

Sample As Received



\*\*\*\* END OF REPORT \*\*\*\*

SGS India Pvt. Ltd.      Page 3 of 3

# Packaging Solutions

## Quality Assurance

We believe in the fact that quality assurance plays a pivotal role in the growth of our organization. Keeping the same in mind, we manufacture the offered array of Tubes, Pipes and allied Fittings using premium quality raw material, sourced from vendors of high repute. Further, to ensure the precise design of offered products, we make use of modern machinery in the designing process. Post production the offered array passes test to ensure enlisted below features:



- Strength
- Dimensional accuracy
- Resistance against extreme weather conditions
- Efficiency
- Durability

*Owing to our quality focused approach, we have received following certificates:*

- ISO certification
- Our products also include a range of RoHS Compliant, have PVC Phthalate Free compliance/DEHP Free PVC compliance as per European standards
- We have got specialized UL-94 Flammability Test compliance for our Products.
- We are also manufacturing certified Food Grade PVC Products like PVC Strips Curtains & Dividers.
- Our PVC products have even passed JIS (Japanese International Standards) for Heat Stability of heating at 120 Degree Celsius for 120 Hours without any degradation.



### **Registered Office**

Plot No.2, Lane No.3, Shalimar Village,  
Industrial Area, Village Shalimar, New Delhi - 110088  
Mob. : +91-9911041999, +91-9811143597

### **Sales Office**

749/1 Gali No. 11, Sadar Bazar, New Delhi - 110006  
Mob. : +91-9818248424, +91-9811143598  
Email: sales@universalplastics.in

### **MANUFACTURING UNIT**

Plot No.255, Sector-56, Phase-V,  
HSIIDC Indl. Estate Kundli  
Distt. Sonipat, Haryana - 131028  
Mob.: +91-9999599385, +91-9891143599

**[www.universalplastics.in](http://www.universalplastics.in)**